


# *Four Winds*




*2004 TRAVEL TRAILERS AND FIFTH WHEELS*


# 2004 Express Travel Trailers




18B




19F




19T



23F




23T




24B

Option T


# 2004 Express Travel Trailers



25F




25G




Option E, T, V

25QT




Option T

26B




Option T

26B-DSL




26L-DSL

# 2004 Express Travel Trailers




Option T

**28B-SSL**




Options E, J, T, V

**29Q**



Option T


**31B-DSL**




Options E, T

**38B-DSL**

## Sport Travel Trailers Options




Option E



Option J


Option T  
(Pac-N-Play)

HINGED BUNK BEDS  
FOR PAC-N-PLAY 2




Option V (Pac-N-Play)

# 2004 Express Fifth Wheels




Option T

24B-M5




Option T

24G-M5




24L-M5




Option T

27B-M5

# 2004 Lite Travel Trailers



24QB




24QB-SSL


*Coming Soon*

Option T


25BH-SSL



25 FG




26QB-SSL



Option T


27 BG

# 2004 Lite Travel Trailers




Options T, P, B


27BH



30 BH-SSL




28RL-SS




27FB-SL


## Lite Travel Trailers Options



Option B




Option P




Option T


# 2004 Classic Travel Trailers




26BH-DSL



26FB-DSL







26RL-DSL




Option M (Rear)

27FK-DSL

# 2004 Classic Travel Trailers




# 2004 Classic Travel Trailers




Option M (Rear)

31FK-DSL




Option M

35ES-DSL




Option M (Rear) (Vanity Replaces Closet with Drawers)

36FK-DSL




Option L




Options G, L, M (rear), N, T

38FB-DSL


# 2004 Classic Travel Trailers




## Classic Travel Trailers Options




Option E




Option J




Option M




Option N




Option P



Option T  
(Requires Option Y)  
Pac-N-Play




Option Y  
Pac-N-Play




Option D


# 2004 Classic Mid-Profile Fifth Wheels




25 RK-M5



28 RK-M5




27RL-M5



Options D, I, T, Y


28BH-M5

# 2004 Classic High-Profile Fifth Wheels




Option K

29RL-H5




Option K

31RL-H5




32 CG-H5



Option K


33RL-H5

# 2004 Classic High-Profile Fifth Wheels




Options K, N, P, B, J (N/A Rear Door), T, X

35BH-H5




35RL-H5

## Classic Fifth Wheels Options




# 2004 SRV\* Travel Trailers




Sofa Bed Option

23SRVT-EXPRESS




Sofa Bed Option

24 SRV-CLASSIC




28SRV-CLASSIC

# 2004 SRV\* Fifth Wheels




Sofa Bed Option

26 SRV-M5




32 SRV-H5

## SRV\* Fifth Wheels Options



Options K, R

35SRV-H5 Classic FIFTH WHEEL



Option K

# Specifications & Weights

| Model     | Model Line               | Exterior Width | Exterior Height | Exterior Length | Hitch Dry Weight | Gross Vehicle Weight | Unloaded Vehicle Weight | Net Cargo Weight | Fresh Water Capacity | Grey Water Capacity | Black Water Capacity | Tire Size      | Furnace Size (BTU's) |
|-----------|--------------------------|----------------|-----------------|-----------------|------------------|----------------------|-------------------------|------------------|----------------------|---------------------|----------------------|----------------|----------------------|
| 18B       | FourWinds Express TT     | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 19F       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 20' 3"          | 508              | 7700                 | 3990                    | 3710             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 19T       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 20' 4"          | 472              | 7700                 | 3908                    | 3792             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 23F       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 23' 6"          | 512              | 7700                 | 4204                    | 3496             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 23T       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 23' 6"          | 598              | 7700                 | 4694                    | 3006             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 24B       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 25' 3"          | 540              | 7700                 | 4452                    | 3248             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 25F       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 26' 3"          | 492              | 7700                 | 4348                    | 3352             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 25G       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 27' 9"          | 522              | 7700                 | 4828                    | 2872             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 25QT      | FourWinds Express TT     | 8 ft.          | 10' 3"          | 26' 6"          | 668              | 7700                 | 4598                    | 3102             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 26B       | FourWinds Express TT     | 8 ft.          | 10' 3"          | 27' 8"          | 570              | 7700                 | 4726                    | 2974             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 26B-DSL   | FourWinds Express TT     | 8 ft.          | 11'             | 28' 5"          | 916              | 9680                 | 6412                    | 3268             | 46                   | 30                  | 30                   | ST225/75R(D)   | 30000                |
| 26L-DSL   | FourWinds Express TT     | 8 ft.          | 11'             | 30' 2"          | 694              | 7700                 | 6378                    | 1322             | 47                   | 30                  | 30                   | ST205/75R15(C) | 31000                |
| 28B-SSL   | FourWinds Express TT     | 8 ft.          | 10' 3"          | 29' 4"          | 506              | 7700                 | 5268                    | 2432             | 36                   | 30                  | 30                   | ST205/75D15(C) | 31000                |
| 29Q       | FourWinds Express TT     | 8 ft.          | 10' 7"          | 31' 3"          | 660              | 7700                 | 5338                    | 2362             | 36                   | 30                  | 30                   | ST205/75D15(C) | 31000                |
| 31B-DSL   | FourWinds Express TT     | 8 ft.          | 11'             | 33' 2"          | 1018             | 9680                 | 7134                    | 2546             | 46                   | 30                  | 30                   | ST225/75R15(D) | 34000                |
| 38F-DSL   | FourWinds Express TT     | 8 ft.          | 11'             | 39' 2"          | 1184             | 11176                | 7930                    | 3246             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 24B-M5    | FourWinds Express FW     | 8 ft.          | 12' 1"          | 27' 10"         | 1164             | 10560                | 6976                    | 3584             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 24G-M5    | FourWinds Express FW     | 8 ft.          | 12' 4"          | 29' 11"         | 1356             | 10560                | 7278                    | 3282             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 24L-M5    | FourWinds Express FW     | 8 ft.          | 12'             | 26' 0"          | 986              | 10560                | 6720                    | 3840             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 27B-M5    | FourWinds Express FW     | 8 ft.          | 12' 5"          | 29' 8"          | 990              | 10560                | 7326                    | 3234             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 24BH-SSL  | FourWinds LiteTT         | 8 ft.          | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 24QB      | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 25' 3"          | 486              | 7700                 | 4720                    | 2980             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 24QB-SSL  | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 26' 2"          | 528              | 7700                 | 4906                    | 2794             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 25FG      | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 27' 9"          | 522              | 7700                 | 4828                    | 2872             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 26QB-SSL  | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 27' 8"          | 464              | 7700                 | 5316                    | 2384             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 27BG      | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 29' 3"          | 456              | 7700                 | 5170                    | 2530             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 27BH      | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 28' 7"          | 642              | 7700                 | 5006                    | 2694             | 36                   | 30                  | 30                   | ST205/75D15(C) | 25000                |
| 27FB-SL   | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 28' 6"          | 734              | 7700                 | 5364                    | 2336             | 36                   | 30                  | 30                   | ST205/75D15(C) | 31000                |
| 28RL-SSL  | FourWinds Lite TT        | 8 ft.          | 10' 3"          | 29' 3"          | 554              | 7700                 | 5280                    | 2420             | 36                   | 30                  | 30                   | ST205/75D15(C) | 31000                |
| 30BH-SL   | FourWinds Lite TT        | 8 ft.          | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 26BH-DSL  | FourWinds Classic TT     | 8 ft.          | 11'             | 28' 5"          | 916              | 9680                 | 6758                    | 2922             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 26FB-DSL  | FourWinds Classic TT     | 8 ft.          | 11'             | 29' 9"          | 684              | 9680                 | 6416                    | 3264             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 26RL-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 30' 2"          | 758              | 9680                 | 6738                    | 2942             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 27FK-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 30' 0"          | 1046             | 9680                 | 6738                    | 2942             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 31000                |
| 30RL-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 32' 3"          | 796              | 9680                 | 7060                    | 2620             | 46                   | 30                  | 30                   | ST225/75R15(D) | 31000                |
| 31BH-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 32' 6"          | 1328             | 9680                 | 6682                    | 2998             | 46                   | 30                  | 30                   | ST225/75R15(D) | 34000                |
| 31BH4-DSL | Fourwinds Classic TT     | 8 ft.          | 11'             | 33' 3"          | 1032             | 9680                 | 7236                    | 2444             | 46                   | 30                  | 30                   | ST225/75R15(D) | 34000                |
| 31BK-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 34' 8"          | 1016             | 9680                 | 7442                    | 2238             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 31FK-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 33' 2"          | 1200             | 9680                 | 6874                    | 2806             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 35ES-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 37' 5"          | 976              | 11176                | 8274                    | 2902             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 36FK-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 37' 7"          | 892              | 9680                 | 7790                    | 1890             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 38BH-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | N/A             | 1014             | 11176                | 7962                    | 3214             | 46                   | 30                  | 30                   | ST225/75R15(D) | 34000                |
| 38FB-DSL  | Fourwinds Classic TT     | 8 ft.          | 11'             | 39' 2"          | 1176             | 11176                | 8146                    | 3030             | 46                   | 30                  | 30                   | ST225/75R15(D) | 34000                |
| 25RK-M5   | Fourwinds Classic FW     | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 27RL-M5   | Fourwinds Classic FW     | 8 ft.          | 12' 2"          | 30' 2"          | 1412             | 10560                | 7718                    | 2842             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 31000                |
| 28BH-M5   | Fourwinds Classic FW     | 8 ft.          | 12' 4"          | 32' 6"          | 1346             | 10560                | 8072                    | 2488             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 28CG-M5   | Fourwinds Classic FW     | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 28RK-H5   | Fourwinds Classic FW     | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 29RL-H5   | Fourwinds Classic FW     | 8 ft.          | 12' 6"          | 33' 2"          | 1536             | 12192                | 8300                    | 3892             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| 31RL-H5   | Fourwinds Classic FW     | 8 ft.          | 12' 6"          | 34' 0"          | 1570             | 12192                | 8640                    | 3552             | 46                   | 30/30               | 30                   | ST225/75R15(D) | 34000                |
| *32CG-H5  | Fourwinds Classic FW     | 8 ft.          | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| *33RL-H5  | Fourwinds Classic FW     | 8 ft.          | 12' 6"          | 35' 9"          | 1456             | 12480                | 9140                    | 3340             | 46                   | 30/30               | 30                   | LT235/85R16(E) | 34000                |
| 35BH-H5   | Fourwinds Classic FW     | 8 ft.          | 12' 6"          | 37' 9"          | 1670             | 12480                | 9336                    | 3144             | 46                   | 30/30               | 30/30                | LT235/85R16(E) | 34000                |
| *35RL-H5  | Fourwinds Classic FW     | 8 ft.          | N/A             | 35' 9"          | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 23SRV     | Fourwinds Express SRV TT | 8 ft.          | 10' 5"          | 25' 2"          | 814              | 7700                 | 4834                    | 2866             | 36                   | 30                  | 30                   | ST205/75D15(C) | 20000                |
| 24SRV     | Fourwinds SRV TT         | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 28SRV     | Fourwinds SRV TT         | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 26SRV-M5  | Fourwinds SRV FW         | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| 32SRV-H5  | Fourwinds SRV FW         | N/A            | N/A             | N/A             | N/A              | N/A                  | N/A                     | N/A              | N/A                  | N/A                 | N/A                  | N/A            | N/A                  |
| *35SRV-H5 | Fourwinds SRV FW         | 8 ft.          | 12', 9"         | 39' 3"          | 1916             | 14400                | 10440                   | 3960             | 92                   | 30/30               | 30                   | LT235/85R16(E) | 35000                |

\*Laminate only.

# 2004 Features & Options

| 2004 STANDARDS & FEATURES                                                                          | Express | Lite | Classic | SRV |
|----------------------------------------------------------------------------------------------------|---------|------|---------|-----|
| <b>Exterior Construction</b>                                                                       |         |      |         |     |
| Chassis AL-KO Leaf Spring Axle                                                                     | •       | •    | N/A     | N/A |
| AL-KO leaf spring axles with Easy Lube feature (DSL & Fifth Wheels)                                | N/A     | N/A  | •       | •   |
| Extend pin boxes (no all models)                                                                   | •       | N/A  | •       |     |
| I-beam cambered chassis                                                                            | •       | •    | •       | •   |
| Large support outriggers w/solid continuous weld                                                   | •       | •    | •       | •   |
| Hitch light                                                                                        | N/A     | •    | •       | *   |
| Rear bumper with sewer hose storage                                                                | •       | •    | •       | •   |
| Double or triple entry steps-welded to frame                                                       | •       | •    | •       | •   |
| Tandem axles with 4 wheel electric brakes                                                          | •       | •    | •       | •   |
| Track guided electric powered flush floor slide-out system in living room large slide (DSL models) | •       | N/A  | •       | •   |
| Manual slide-out system on "SSL" and "SL" models                                                   | •       | •    | N/A     | N/A |
| Rotocast holding tanks                                                                             | •       | •    | •       | •   |
| Twin 30# LP bottles with cover                                                                     | •       | •    | •       | •   |
| <b>Walls</b>                                                                                       |         |      |         |     |
| Aerodynamic front profile with diamond plate rock guard - Travel Trailers                          | •       | •    | •       | •   |
| 1-1/2" x 2" walls on 16" centers (non DSL)                                                         | •       | •    | N/A     | N/A |
| 2" x 2" walls on 16" centers (DSL models)                                                          | •       | N/A  | •       | •   |
| 2" belt rail around the perimeter for extra strength                                               | •       | •    | •       | •   |
| Reinforced studding around all entry doors and windows                                             | •       | •    | •       | •   |
| Fiberglass insulation-R7                                                                           | •       | •    | •       | •   |
| Quad lock slide seal system (models w/slide rooms)                                                 | •       | •    | •       | •   |
| Tinted radius clamp ring windows                                                                   | •       | •    | •       | •   |
| Rain gutter w/corner downspout along the roof line                                                 | •       | •    | •       | •   |
| Duo pane patio sliding door on 36"-up travel trailers                                              | N/A     | N/A  | •       | N/A |
| Flush combo entry latch/dead bolt lock                                                             | •       | •    | •       | •   |
| Pre-wired for digital satellite system                                                             | •       | •    | •       | •   |
| Radius exterior "Storage Plus" compartments (where possible)                                       | •       | •    | •       | •   |
| 30" radius entry door (most floor plans)                                                           | •       | •    | •       | •   |
| Locking insulated luggage doors with finger pulls                                                  | •       | •    | •       | •   |
| Detachable 30 amp power cord (large slide models only) DSL Models Only                             | •       |      | •       | •   |
| Patio light                                                                                        | •       | •    | •       | •   |
| Steel reinforces ramp door with flip ramp transition panel                                         | N/A     | N/A  | N/A     | •   |
| Pancake light in exterior storage compartments                                                     | N/A     | •    | •       | •   |
| <b>Roof</b>                                                                                        |         |      |         |     |
| 1 piece seamless EPDM rubber roof (12 year rubber warranty)                                        | •       | •    | •       | •   |
| Radius 5" truss roof rafters                                                                       | •       | •    | •       | •   |
| 3/8" wood roof decking full length of the unit - walk on roof                                      | •       | •    | •       | •   |
| 5/8" exterior grade tongue & groove plywood floor                                                  | •       | •    | •       | •   |
| Ducted air conditioning (22' and up models)                                                        | •       | •    | •       | •   |
| <b>Interior</b>                                                                                    |         |      |         |     |
| <b>Décor</b>                                                                                       |         |      |         |     |
| Congoleum tile like linoleum                                                                       | •       | •    | •       | •   |
| Luxurious color coordinated designer interiors                                                     | •       | •    | •       | •   |
| Coat hooks (most models)                                                                           | N/A     | •    | •       | •   |
| Décor globe light over dinette                                                                     | •       | •    | •       | •   |

| 2004 STANDARDS & FEATURES                            | Express | Lite | Classic | SRV |
|------------------------------------------------------|---------|------|---------|-----|
| Brushed nickel cabinet door hardware                 | •       | •    | •       | •   |
| Dutch maple interior wood color                      | •       | •    | •       | •   |
| Designer valances                                    | •       | •    | •       | •   |
| Living room/bedroom carpet                           | OPT     | OPT  | •       | •   |
| Living room carpet (DSL models)                      | •       | N/A  | •       | •   |
| Mini-blinds throughout                               | •       | •    | •       | •   |
| Solid Wood Raised Panel Cabinet Doors- Galley        | N/A     | N/A  | •       | •   |
| Bead board cabinet doors                             | •       | •    | •       | •   |
| Metal drawer guides on all storage drawers           | •       | •    | •       | •   |
| Oversized storage drawers                            | •       | •    | •       | •   |
| Laminated countertops                                | •       | •    | •       | •   |
| Skylight roof vents                                  | •       | •    | •       | •   |
| Slide-out overhead cabinets (living room slide only) | OPT     | •    | •       | *   |
| Swivel rocker (not all models)                       | •       | •    | •       |     |
| Wall clock in living room slide-out                  |         |      | •       |     |
| <b>Kitchen</b>                                       |         |      |         |     |
| 44" booth dinette plus (DSL models)                  | •       |      | •       | •   |
| Double bowl white acrylic sink with high rise faucet | •       | •    | •       | •   |
| Reversible Dinette seats                             | •       | •    | •       | •   |
| Cabinet door below dinette                           | •       | •    | •       | •   |
| Exterior baggage door below dinette                  |         | •    | •       | •   |
| Sink cover                                           | •       | •    | •       | •   |
| Stove cover                                          | OPT     | OPT  | •       | *   |
| <b>Bath</b>                                          |         |      |         |     |
| ABS tub surround                                     | •       | •    | •       | •   |
| Medicine cabinet with mirror                         | •       | •    | •       | •   |
| Shower curtain (Most models)                         | •       | •    | •       | •   |
| Glass shower door (Neo Angle Showers)                | N/A     | N/A  | •       | *   |
| Valance above shower                                 | N/A     | •    | N/A     | N/A |
| Towel ring with coat hooks                           | •       | •    | •       | •   |
| 12 volt power exhaust roof vent in bath              | N/A     | •    | •       | •   |
| GFI protected 120 volt duplex receptacle             | •       | •    | •       | •   |
| Thetford toilet                                      | •       | •    | •       | •   |
| <b>Bedroom</b>                                       |         |      |         |     |
| Décor pin-up lights in bedroom                       | N/A     | •    | •       | *   |
| Décor coordinated bedspread                          | •       | •    | •       | •   |
| Décor coordinated headboard                          | •       | •    | •       | •   |
| 2 pillows on queen bed                               | N/A     | N/A  | •       | *   |
| Laundry chute (most models)                          | N/A     | •    | •       | •   |
| Innerspring mattress                                 | •       | •    | •       | •   |
| <b>Misc</b>                                          |         |      |         |     |
| Cargo area tie downs                                 | N/A     | N/A  | N/A     | •   |
| Garage area access door                              | N/A     | N/A  | N/A     | •   |
| Garage storage cabinets-white laminate               | N/A     | N/A  | N/A     | •   |
| Spring assisted rear ramp door                       | N/A     | N/A  | N/A     | •   |

# 2004 Features & Options

| 2004 STANDARDS & FEATURES                                                                                         | Express | Lite | Classic | SRV |
|-------------------------------------------------------------------------------------------------------------------|---------|------|---------|-----|
| <b>Appliances/Equipment</b>                                                                                       |         |      |         |     |
| 13.5 BTU A/C                                                                                                      | OPT     | •    | •       | •   |
| 3 burner high-output cook top                                                                                     | •       | N/A  | N/A     | N/A |
| 3 burner high-output range with oven                                                                              | OPT     | •    | •       | •   |
| 6 gallon gas water heater                                                                                         | •       | N/A  | N/A     | N/A |
| 6 gallon quick recovery gas DSI water heater                                                                      | N/A     | •    | •       | •   |
| A&E patio awning                                                                                                  | OPT     | •    | •       | •   |
| AM/FM stereo cassette with CD player                                                                              | OPT     | •    | •       | •   |
| Cable TV hook-up                                                                                                  | •       | •    | •       | •   |
| Demand water pump                                                                                                 | •       | •    | •       | •   |
| Fire extinguisher                                                                                                 | •       | •    | •       | •   |
| Hydro flame forced air, DSI furnace with wall thermostat                                                          | •       | •    | •       | •   |
| LPG leak detector                                                                                                 | •       | •    | •       | •   |
| Microwave oven                                                                                                    | OPT     | •    | •       | •   |
| Norcold double door gas/electric refrigerator                                                                     | •       | •    | •       | •   |
| Pre-wired for TV antenna                                                                                          | •       | •    | •       | •   |
| TV antenna with power booster                                                                                     | OPT     | •    | •       | •   |
| Range hood with 12 volt light and exhaust fan                                                                     | •       | •    | •       | •   |
| Smoke detector                                                                                                    | •       | •    | •       | •   |
| Solid state converter with built in battery charger                                                               | •       | •    | •       | •   |
| Wall mounted systems monitor panel                                                                                | •       | •    | •       | •   |
| Water heater bypass                                                                                               | •       | •    | •       | •   |
| 110 volt residential style refer on travel trailers 36' and up travel trailers                                    | N/A     | N/A  | •       | N/A |
| 120 volt duplex receptacles throughout                                                                            | •       | •    | •       | •   |
| 120 volt patio receptacle                                                                                         | •       | •    | •       | •   |
| <b>2004 Options (Not all options available on all floorplans)</b>                                                 |         |      |         |     |
| Laminate Package (Classics and SRV Fifth Wheels)                                                                  | N/A     | N/A  | •       | •   |
| • Laminated aluminum framed walls                                                                                 |         |      |         |     |
| • Front lower Diamond Plate (TT's)                                                                                |         |      |         |     |
| • Full front fiberglass cap on high profile 5th wheels                                                            |         |      |         |     |
| • Full front ABS cap on mid-profile 5th wheels                                                                    |         |      |         |     |
| <b>Comfort Package includes: (parts available independently)</b>                                                  |         |      |         |     |
| 13.5 BTU A/C, A&E Awning, AM/FM stereo w/CD player, TV antenna, Stove cover, 3 burner range w/oven and Microwave. | OPT     | •    | •       | •   |
| 3 burner range with oven replacing 3 burner cook top                                                              | •       | STD  | STD     | STD |
| 50 amp service laminates package only (H5's only)                                                                 | N/A     | N/A  | •       | •   |
| 6 gal. gas/electric water heater w/DSI                                                                            | •       | •    | •       | •   |
| Air Conditioner - 15,000 BTU A/C (Some Models)                                                                    | N/A     | N/A  | •       | •   |
| Air Conditioner 13.5 BTU (ducted on 22' and above)                                                                | •       | •    | •       | •   |
| Aluminum rims                                                                                                     | N/A     | N/A  | •       | •   |
| Bedroom carpet and pad (non 5th wheels)                                                                           | •       | •    | STD     | STD |
| Bedroom slide out (see floor plan options)                                                                        |         |      | •       | •   |
| Bi-fold shower door                                                                                               |         | •    | •       | •   |
| Ceiling fan with light (high-profile 5th wheels)                                                                  |         |      | •       | •   |
| Day/night shades                                                                                                  | N/A     | N/A  | •       | •   |
| Electric front jacks - fifth wheels                                                                               | •       | N/A  | •       | •   |
| Electric sofa slide on "SSL" and "SL" models                                                                      | •       | •    | STD     | •   |

| 2004 OPTIONS                                                             | Express | Lite | Classic | SRV |
|--------------------------------------------------------------------------|---------|------|---------|-----|
| Enclosed insulated underbelly (Available with Fiberglass Package only)   | N/A     | N/A  | •       | N/A |
| Exterior Vitco grill                                                     | •       | •    | •       | •   |
| Extra large 8 cu. ft. refer                                              | N/A     | N/A  | •       | •   |
| Fantastic fan in cargo or living areas w/rain sensor                     | N/A     | N/A  | •       | •   |
| Fold away dinette (see floorplans)                                       | N/A     | N/A  | N/A     | •   |
| Free standing dinette with 4 chairs - round (DSL models)                 | •       | N/A  | •       | •   |
| Free standing dinette with 4 chairs - square (DSL models)                | •       | N/A  | •       | •   |
| Front fiberglass cap on fifth wheels - High profile models               | N/A     | N/A  | •       | •   |
| Front ABS cap on M5 fifth wheels                                         | N/A     | N/A  | •       | •   |
| Front or rear stabilizer jacks                                           | •       | •    | •       | •   |
| Garage floor diamond plate (not all models)                              | N/A     | N/A  | N/A     | •   |
| * Generator installed (laminated H5 and 28' SR V)                        | N/A     | N/A  | •       | •   |
| * Generator prep (laminated H5 and 28' SR V)                             | N/A     | N/A  | •       | •   |
| Hide-a-bed sofa (DSL models only)                                        | •       | N/A  | •       | •   |
| Living room carpet and pad (non DSL)                                     | •       | •    | STD     | •   |
| Norcold double door gas/electric refrigerator (36' & up) travel trailers | N/A     | N/A  | •       | N/A |
| Phone jack                                                               | N/A     | N/A  | •       | •   |
| Poly-Air roof insulation - adds R-7                                      | N/A     | N/A  | •       | •   |
| Power tongue front jack (travel trailers)                                | N/A     | N/A  | •       | •   |
| Ramp door diamond plate                                                  | N/A     | N/A  | N/A     | •   |
| Rear garage window                                                       | N/A     | N/A  | N/A     | •   |
| Rear ladder                                                              | N/A     | •    | •       | •   |
| Rear screen door                                                         | N/A     | N/A  | N/A     | •   |
| Recliner (DSL models)                                                    | N/A     | N/A  | •       | •   |
| Safety glass                                                             | •       | •    | •       | •   |
| Scare lights                                                             | N/A     | N/A  | •       | •   |
| Skylight in tub area                                                     | •       | •    | •       | •   |
| Slide out overhead cabinets                                              | •       | •    | STD     | STD |
| Slide tray for Storage Plus                                              | •       | •    | •       | •   |
| Solid maple cabinet doors                                                | N/A     | •    | STD     | •   |
| Solid maple raised panel cabinet doors in slide (DSL models)             | N/A     | N/A  | •       | •   |
| Solid maple raised refer front                                           | N/A     | •    | •       | •   |
| Solid maple slide fascia                                                 | N/A     | N/A  | •       | •   |
| Spare tire kit with carrier                                              | •       | •    | •       | •   |
| Spray away exterior shower                                               | •       | •    | •       | •   |
| Ultra heat pads -12 volt - all tanks                                     | N/A     | N/A  | •       | •   |
| Washer dryer prep (with Fiberglass Package only) (H5's only)             | N/A     | N/A  | •       | •   |
| Water filter with spout                                                  | N/A     | N/A  | •       | •   |

• Not available or optional on Sport SRV's

**Vehicle loading-** Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Along with these choices comes the responsibility to manage the loads that are imposed by the choices that they remain within the manufacturer's specified chassis weight limits. Do no overload the recreation vehicle.

**Dry weights based on standard features-** Some optional equipment not included. Net carrying capacity (NCC) is determined by subtracting unloaded vehicle weight (UVW) from gross vehicle weight (GVWR) and includes fluids, options and cargo. Liquid capacities and weights are approximations only.

**Warning-** This information is intended as a guide only. Weights of individual vehicles may vary. Consult your owner's manual for complete loading, weighing and towing instructions.

*For Additional Information  
See Us On the Web*

**www.4winds-rv.com**



**Web Site Includes:**

- *New Floor Plans*
- *Product Photos*
- *Standards & Options*
- *Virtual Tours*

# *The Industry's Best Warranty – By Far!*

We're so confident in the design and construction of our products that they are covered by Thor's Limited Warranty.

**Your warranty includes:**

- One-year Bumper to Hitch Limited Warranty
- Two-year Structural and Appliance Limited Warranty
- and much more!

*\*see warranty statement for details.*



This brochure is printed in part on recycled paper as part of Thor's corporate effort to minimize waste and conserve our natural resources. Providing safe, fuel-efficient recreational vehicles is Thor's way of further demonstrating our role as the industry leader in safeguarding our nation's environment.

Product information, specifications, and photography in this brochure were as accurate as possible at time of printing. Photographs may contain some features that are optional on your vehicle. Since we continually strive to improve our products, actual products may differ. Prices and specifications are subject to change without notice. All capacities are approximate and dimensions are nominal. Some features shown are optional and may be different or unavailable in Canada. Vehicles are designed for recreational use only and not intended for use as a primary residence.

305 Steury Ave. • Goshen, IN 46528  
574.534.1224 • Fax 574.533.3807  
Service, Warranty and Parts 574.537.0700  
[www.4winds-rv.com](http://www.4winds-rv.com)

Your Local Dealer